

# LONGWOOD CENTRAL SCHOOL DISTRICT

## SEIZURE DISORDER – Emergency Care Plan

Student: \_\_\_\_\_ Grade: \_\_\_\_\_ School Contact: \_\_\_\_\_ DOB: \_\_\_\_\_

Mother: \_\_\_\_\_ MHome #: \_\_\_\_\_ MWork #: \_\_\_\_\_ MCell #: \_\_\_\_\_

Father: \_\_\_\_\_ FHome #: \_\_\_\_\_ FWork #: \_\_\_\_\_ FCell #: \_\_\_\_\_

Emergency Contact: \_\_\_\_\_ Relationship: \_\_\_\_\_ Phone: \_\_\_\_\_

### SYMPTOMS OF A SEIZURE EPISODE MAY INCLUDE ANY/ALL OF THESE:

**Tonic-Clonic Seizure:** Symptoms may include an aura, muscle rigidity, followed by violent muscle contractions, loss of alertness (consciousness), biting the cheek or tongue, clenched teeth or jaw, loss of bladder or bowel control, difficulty breathing, blue skin color.

**Simple Focal Seizure:** The person will remain conscious but experience unusual feelings or sensations that can take many forms, may experience sudden and unexplainable feelings of joy, anger, sadness, or nausea. He/she also may hear, smell, taste, see, or feel things that are not real.

**Complex Focal Seizure:** The person has a change in or loss of consciousness. His or her consciousness may be altered, producing a dreamlike experience. People having a complex focal seizure may display strange, repetitious behaviors such as blinks, twitches, mouth movements, or even walking in a circle. These repetitious movements are called *automatisms*. More complicated actions, which may seem purposeful, can also occur involuntarily. Patients may also continue activities they started before the seizure began, such as washing dishes in a repetitive, unproductive fashion. These seizures usually last just a few seconds.

**Absence:** Symptoms may be brief lasting only a few seconds and occur several times a day. During the seizure the person may stop walking and start again a few seconds later, stop talking in mid-sentence and start again a few seconds later. Specific symptoms of typical petit mal seizures may include: changes in muscle activity (hand fumbling, fluttering eyelids, lip smacking, chewing), change in alertness (staring and lack of awareness)

### STAFF MEMBERS INSTRUCTED:

Administration

Classroom Teacher(s)

Support Staff

Special Area Teacher(s)

Transportation Staff

### TREATMENT:

Clear the area around the student to avoid injury. DO NOT PUT ANYTHING IN THE STUDENT'S MOUTH  
Place student on side if possible, speak to student in reassuring tone. Stay with student until help arrives

Emergency Medical Services (911) should be called, student transported to hospital

Preferred Hospital if transported: \_\_\_\_\_

Emergency medication to be given by Nurse at onset of seizure

Student should be allowed to rest following seizure, call parent

**Transportation Plan:**  Medication available on bus  Medication NOT available on bus  Does not ride bus

Special instructions: \_\_\_\_\_

Healthcare Provider Signature: \_\_\_\_\_ Date: \_\_\_\_\_ Phone: \_\_\_\_\_

Written by: \_\_\_\_\_ Date: \_\_\_\_\_

Copy provided to Parent

Copy sent to Healthcare Provider

**Parent/Guardian Signature** to share this plan with Provider and School Staff: \_\_\_\_\_